Fluid Phase Equilibria, 35 (1987) 327–328
Elsevier Science Publishers B.V., Amsterdam – Printed in The Netherlands

Contents Volume 35 (1987)

Volume 35, Nos. 1–3

Development of a new four-parameter cubic equation of state
M.A. Trebble and P.R. Bishnoi (Calgary, Alb., Canada) 1–18
Thermodynamics of associating component + saturated hydrocarbon mixtures at low pressures. I. Description of saturated vapour pressures and liquid molar volumes of pure n-alcohols in terms of association
I. Cibulka and I. Nagata (Kanazawa, Japan) 19–42
Thermodynamics of associating component + saturated hydrocarbon mixtures at low pressures. II. Extension of the model to correlate isothermal vapour–liquid equilibria and volumetric properties of n-alcohol + n-alkane mixtures
I. Cibulka and I. Nagata (Kanazawa, Japan) 43–63
Thermodynamics of associating component + saturated hydrocarbon mixtures at low pressures. III. Vapour–liquid equilibria and volumetric properties of n-alcohol + cyclohexane mixtures
I. Cibulka and I. Nagata (Kanazawa, Japan) 65–75
A molecular theory of solubility parameters: generalization to polar fluid mixtures
L.L. Lee (Norman, OK, U.S.A.) 77–92
Description of the system $H_2O/CH_3OH/LiBr$ with the Wilson equation and a suitable solvation model
H. Engels (Aachen, F.R.G.) 93–106
Second virial coefficients of ^3He, ^4He and their mixtures below 5 K
M.A. Barrufet and P.T. Eubank (College Station, TX, U.S.A.) 107–116
Relative volatilities from mixture liquid densities for the *n*-butane/1,3-butadiene system
D.S.C. Arve, D.B. Manley and B.E. Poling (Rolla, MO, U.S.A.) 117–126
Prediction of solid–liquid equilibria on the basis of pure compound properties
A. Książczak and A. Anderko (Warsaw, Poland) 127–151
An interaction model for third virial coefficients which provides simplified equations for mixtures
D.R. McGregor, J.C. Holste, P.T. Eubank, K.N. Marsh and K.R. Hall (College Station, TX, U.S.A.) and J. Schouten (Amsterdam, The Netherlands) 153–164
A perturbed hard-sphere equation of state for solutions containing an electrolyte
T.W. Copeman (Allentown, PA, U.S.A.) and F.P. Stein (Bethlehem, PA, U.S.A.) 165–187
Phase equilibria in very dilute mixtures of water and chlorinated hydrocarbons. Part I—experimental results
R.S. Barr and D.M.T. Newsham (Manchester, Gt. Britain) 189–205
Phase equilibria in very dilute mixtures of water and chlorinated hydrocarbons. Part II—UNIFAC parameters
R.S. Barr and D.M.T. Newsham (Manchester, Gt. Britain) 207–215
Solubility of n-paraffin hydrocarbons in binary solvent mixtures
U. Domańska (Warsaw, Poland) 217–236

The W-shape concentration dependence of C_p^E and solution non-randomness: ketones + normal and branched alkanes
M.E. Saint-Victor and D. Patterson (Montreal, Que., Canada) 237–252

Vapour–liquid equilibria—III. Total vapour pressure measurements for binary mixtures of methanol, ethanol, 1-propanol and 1-butanol with benzene, toluene and *p*-xylene at 313.15 K
P. Oracz and G. Kolasińska (Warsaw, Poland) 253–278

Vapour–liquid equilibria measurements for some binary mixtures showing partial miscibility
J. Gaube, L. Krenzer, G. Olf and R. Wendel (Darmstadt, F.R.G.) 279–289

Solubility and partial miscibility of ethane in certain hydrocarbon liquids
S.S. Estrera, M.M. Arbuckle and K.D. Luks (Tulsa, OK, U.S.A.) 291–307

Short Communication

Generalization of Soave's direct method to calculate pure-compound vapor pressures through cubic equations of state
Y. Adachi (Nagoya, Japan) 309–312

Letter to the Editor

On the thermodynamics of gas solubility: relation between equation-of-state and activity coefficient models
R.D. Deshmukh and A.E. Mather (Edmonton, Alb., Canada) 313–314

Book Reviews 315–319

Errata 321

Announcement 323

Author Index 325

Contents of Volume 35 (1987) 327–328